

Kædehjul og Ringe



Pitch	Tandantal	incl.nåleleje	Højde	ID:	D. u/ bøsning	DRIVHJUL	KÆDERING	DRIVHJUL
ALPINA-CASTOR-STIGA								
070-A70-A90-CP90-CP120								
3/8"	8	-	33,8	79,5	C=18,8	-	-	2503ZK111-A8
330-380-432-438-482-SILVER 40								
3/8"LP	6	N	23,7	56,9	C=12,7 D=10,0	-	-	2503ZKN114-M6
P400 - P450 - P500								
.325	7	N	25,3	68,5	C=13,9	25031708311	2503CASRK27	-
700-800								
3/8"	7	-	26,3	78,5	C=16,00	-	2503CASRA17	-
A40-A40E-PROF 41/45/55/65								
.325	7	N	26,5	69,0	C=15,7 D=13,1	25031708311	2503CASRK27	-
.325	8	N	26,5	69,0	C=15,7 D=13,1	2503ZKN110-25	2503CASRK28	-
DOLMAR-SACHS								
100, 102, 33, 340, 341, 342, 344, 400, 401, 410, 411, PS42								
3/8LP	6	B	25,4	63,2	C=13,6 D10,3	-	-	2503ZK363-A6
103-105-108								
.325	8	N	28,0	69,3	C=11,8 D=8,4	-	-	2503ZKN363-L8
109-110-111-115								
3/8"LP	6	-	28,0	75,3	C=14,95	2503ZK366-24	2503CASRA17	-
112-113-114-116-117-119-120								
3/8"	7	N	23,6	76,0	C=17,8	2503ZK364-11	2503CASRA17	25031708280
152-153-163-166								
.404	8	-	33,9	82,2	C17,9	-	-	2503ZK365-B8
CA-122(SL)- 123-133-143 - PS6000I - PS6800I - PS9000 - PS9010								
3/8"	8	-	31,4	69,5	C17,9	-	-	2503ZK360-A8
.404	8	-	31,4	69,5	C17,9	-	-	2503ZK360-B8
ECHO								
C60-60S-CS0S								
3/8"	7	-	28,7	69,6	C=16,8	-	-	2503ZK353-A7
CS280 (WITHOUT Brakes) - CS290-CS300 - CS328 - CS2800 - CS2900								
3/8"LP	6	-	22,2	59,7	C=10,9	-	-	2503ZK358-M6
CS3000-C3400-CS3450								
3/8"LP	6	-	22,2	59,8	C=13,0	-	-	2503ZK359-M6
CS301-Cs302-CS315-CS360-CS351VL-CS330-CS330EVL								
3/8"LP	6	-	22,2	69,6	C=11,2	-	-	2503ZK354-M6
CS451-CS452-CS500-CS510-CS550-CS610-CS650-CS660								
3/8"	7	-	23,6	77,7	C=13,8	2503ZK355-11	2503CASRA17	-
3/8"	7	-	23,6	77,7	C=13,8	-	-	2503ZK355-A7
C601 - CS602-CS602VL- CS701- CS702VL-CS750EVL - CS6700								
3/8"	7	-	27,6	77,3	C=13,8	-	2503CASRA17	2503ZK356-A7
.404	7	-	27,6	77,3	C=13,8	-	2503CASRB17	-
CS801-VS802(S)-CS901A								
.404	7	-	29,3	75,9	C=16,8	-	-	2503ZK351-B7
CS900-CS1001								
3/8"	7	-	31,2	79,4	C=17,9	-	2503CASRA17	-
HUSQVARNA								
50-51-66 -133-154-254-257-262-RANCHER 50/51/55								
.325	7	N	26,5	69,0	C=15,7 D=13,1	25031708311	2503CASRK27	2503ZKN110-L7
.325	8	N	26,5	69,0	C=15,7 D=13,1	2503ZKN110-25	2503CASRK28	-
140-240-240SE-240SG-340-440-P44-444-P40								
.325	7	N	25,9	68,1	C=15,9 D=11,5	2503ZKN303-24	2503CASRK27	-
185-285-1100CD-2100-2100XP-2101XP-181-185-281-288-298-394-395								
3/8"	7	N	33,7	78,5	C=18,7 D=14,2	2503ZKN304-11	2503CASRA17	-
3/8"	8	N	33,7	78,5	C=18,7 D=14,2	2503ZKN302-12	2503CASRA18	-
.404	7	N	33,7	78,5	C=18,7 D=14,2	2503ZKN302-13	2503CASRB17	-

Kædehjul og Ringe



Pitch	Tandantal	incl.nåleleje	Højde	ID:	D. u/ bøsning	DRIVHJUL	KÆDERING	DRIVHJUL
HUSQVARNA (Fortsat)								
254/262 (before n: 3450001) - 257 (before n : 3140001)								
.325	7	-	29,7	68,3	C=15,9	-	2503CASRK27	-
.325	8	-	29,7	68,3	C=15,9	-	2503CASRK28	-
3/8	7	-	29,7	68,3	C=15,9	-	2503CASRA27	-
3/8"	7	-	29,7	68,3	C=17,0 D=13,0	-	2503CASRA27	-
340,345,346XP,350,351-353-355-357-359-2141								
.325	7	N	27,7	69	C=15,9	-	2503CASRK27	-
33-34-35-36-37-38-41-136-141								
.325	7	N	26,5	63,1	C=13,0	2503ZK266-24	2503CASRK27	-
40-45-49								
.325	7	N	26,5	63,1	C=15,8 D=13,0	2503ZKN265-24	2503CASRK27	-
42-133-234-238-242(BEFORE)								
.325	7	N	25,0	63,1	C=15,1 D=11,	2503ZKN268-24	2503CASRK27	-
A65-L65-A77-160-163-180S-260-262-263-272-280S-380S-380CD-480-2101								
3/8"	7	N	35,7	78,5	C=17,3 D=13	2503ZKN301-11	2503CASRA17	-
3/8"	8	N	35,7	78,5	C=17,3 D=13	2503ZKN301-12	2503CASRA18	-
.404	7	N	35,7	78,5	C=17,3 D=13	2503ZKN301-13	2503CASRB17	-
3/8LP	6	N	22,1	58,3	C=12,7 D=10,3	-	-	2503ZKN217-M6
JONSERED								
1020								
3/8"	7	N	37,4	73,8	C=18 D=14,5	2503ZKN197-11	2503CASRA17	-
2036-2040								
.325	7	N	27,2	63,1	C=13,0	2503ZKN265-24	2503CASRK27	-
2041-2045-2050-2063-2141-2150-2151-2159								
.325	7	N	26,5	63,1	C=15,8 D12,8	2503ZKN265-24	2503CASRK27	-
2063-2065-2071								
3/8"	7	N	28,0	78,6	C=16	-	-	2503ZKN306-A7
2095								
3/8"	7	N	33,7	78,5	C=18,7 D=14,2	-	2503CASRA17	-
3/8"	8	N	33,7	78,5	C=18,7 D=14,2	2503ZKN302-12	2503CASRA18	-
.404	7	N	33,7	78,5	C=18,7 D=14,2	2503ZKN302-13	2503CASRB17	-
45-M50-M50AV-M51-M52-52E-M521-451E-451EY-49SP								
.325	8	N	25,7	74,9	C=15,8 D=13,10	2503ZKN260-25	2503CASRK28	-
490-590								
.325	7	N	26,5	69,0	C=15,7 D=13,1	25031708311	2503CASRK27	-
.325	8	N	26,5	69,0	C=15,7 D=13,1	2503ZKN110-25	2503CASRK28	-
630-630S-670-625								
3/8"	7	N	32,0	78,2	C=17,7 D=13,0	2503ZKN304-11	2503CASRA17	-
3/8"	8	N	32,0	78,2	C=17,7 D=13	2503ZK263-12	2503CASRA18	-
820-830-910-920(SUPER)-920S-930(SUPER)								
3/8"	7	-	31,0	78,6	C=18,9	-	2503CASRA17	-
3/8"	8	-	31,0	78,6	C=18,9	2503ZK263-12	2503CASRA18	-
.404.	7	-	31,0	78,6	C=18,9	-	2503CASRB17	-
J35-36-361-361AV-361DLX-365-370-380								
3/8"LP	6	N	22,1	58,3	C=12,7 D=10,3	-	-	2503ZKN217-M6
MAKITA								
DC430-DC520-DC620-DC4300I-DCS3200								
3/8" LP	7		28,0	75,3	C=14,6	-	-	2503ZKN363-M7
DCS200-DCS6000-DCS6800(i)								
3/8"	7	N	23,6	76,0	C=17,8	2503ZK364-11	2503CASRA17	-

Kædehjul og Ringe



Pitch	Tandantal	incl.nåleleje	Højde	ID:	D. u/ bøsning	DRIVHJUL	KÆDERING	DRIVHJUL
MC CULLOGH								
D44-SUPER44(A)-1,7/1/2/4/5/6-105-125-200-250-300-380-440-450-550-740-790-795-797-CP125(S)-SP125								
.404	7	N	38,8	78,5	C=18,3 D15,2	2503ZKN175-13	2503CASRB17	-
MAC15-D30/36-1,10/1/2/3/4/5/6/-1,5/1/2/3-200-250								
3/8"	8	B	38,8	78,5	C=18,3 D=15,2	-	2503CASRA18	-
.404	7	B	38,8	78,5	C=18,3 D15,2	-	2503CASRB17	-
MINI MAC6/25/30/35-POWER MINI MAC35-MAC6(A)/110/140/3214/3216/3516/3818/-POWER MAC 310/340/365/480 PROMAC3205/3805 SUPER PRO 40-TITAN7/35/40-PM360/480/484-MAC120/310/838 EQUIPPED WITH CHIANE BRAKE								
3/8" LP	6	N	26,8	69,6	C=14 D=10,3	-	-	2503ZKN177-M6
MINI MAC 6/25/30/35-POWER MINI MAC6(A)/110/140/3214/3216/3818								
POWER MAC 310/340/365/480-PROMAC3205/3805-SUPER PRO40-TITAN7/35/40								
3/8"	6	N	24,7	69,6	C=14 D=10,3	-	-	2503ZKN177-M6
OLEO MAC								
250(A/AS)-251(SUPER)- 252-254-264STANDARD- 350-355								
3/8"	7	-	28,5	68,9	C=14,9	-	-	2503ZK045-A7
.325	8	-	28,5	68,9	C=14,9	-	-	2503ZK045-L8
260-261-271-272-280-281-284-400-460AS-461-480AS-481-482-484								
3/8"	8	N	31,4	78,4	C=18,9 D15,5	-	-	2503ZKN262-A8
264 DELUXE								
3/8"	7	-	27,9	68,6	C=13,9	-	2503CASRA17	-
PARTNER								
350-365-405								
.325	7	N	27,2	63,1	C=13,0	2503ZK266-24	2503CASRK27	-
340-400-500-545-5000-P48-P49-P499V-P5000								
.325	7	N	26,5	69,0	C=15,7 D=13,0	25031708311	2503CASRK27	-
.325	8	N	26,5	69,0	C=15,7 D=13,0	2503ZKN110-25	2503CASRK28	-
MINI P (A)/2/3-MINI 22-330-350-1612-1613-1614-1616								
3/8"LP	6	N	22,1	58,3	C=12,7 D=10,3	-	-	2503ZKN217-M6
R16/17/18/19/20/21/201/240/420/421T/720/421T-F55/65-P70-417-517-S20/50/55/65-321-7000								
3/8"	7	N	37,4	73,8	C=18,0 D=14,5	2503ZKN197-11	2503CASRA17	-
R30/35/40/435/440-P18/85/100								
3/8"	7	N	36,1	78,5	C=17,9 D=14,2	2503ZKN198-11	2503CASRA17	-
.404	7	N	36,1	78,5	C=17,9 D=14,2	2503ZKN197-13	2503ZK400-7-1	-
SHINDAIWA								
305-345-346-350-355								
3/8"	7	-	31,2	68,1	C=13,0	-	-	2503ZK242-M7
350-405-406-407-410-415-416-440-450-451-480-485-500								
.325	7	-	32,7	67,9	C=13,0	-	-	2503ZK240-L7
400-488								
.325	7	-	30,0	71,7	C=13,0	-	2503CASRK27	-
550-575-580-680-685-695								
3/8"	7	-	31,2	78,0	C=17,0	-	2503CASRA17	-
3/8"	7	-	31,2	78,0	C=17,0	-	-	2503ZK244-A7
SKILL								
1620-1622-1624-1634-1636								
3/8"	6	B	25,7	63,1	C=13,6 D=10,3	-	-	2503ZKB244-M6
1635 - 1636U								
3/8" LP	6	N	22,1	58,3	C=12,7 D=10,3	-	-	2503ZKB225-M6
310-944-1600/1/2/3-1610/1/2 ELECTRIC/3/4/6- 1700/6/12								
3/8"LP	6	N	22,1	58,3	C=12,7 D=10,3	-	-	2503ZKN217-M6

Kædehjul og Ringe



Pitch	Tandantal	incl.nåleleje	Højde	ID:	D. u/ bøsning	DRIVHJUL	KÆDERING	DRIVHJUL
STIHL								
017-018-019-021-023-025-MS170/180/190/210/230/250								
.325	7	-	28,8	65,3	C=12,8	2503ZK084-24	2503CASRK27	-
.325	8	-	28,8	65,3	C=12,8	2503ZK084-25	2503CASRK28	-
3/8"LP	6	N	28,8	65,3	C=12,8	-	-	2503ZK084-M6
024-MS260(after n° X25809074)								
.325	7	N	28,8	69,5	C=12,8	2503ZK085-24	2503CASRK27	2503ZK085-L7
.325	8	-	28,8	69,5	C=12,8	-	2503CASRK28	2503ZK085-L8
024-026 (before n° X25809074) NEW								
.325	7	N	38,1	68,8	C=12,8	2503ZK191-24	2503CASRK27	2503ZK190-L7
028 (after n° 8991531)								
.325	7	N	38,1	68,8	C=12,8	-	-	2503ZK190-L7
030-031-032-040-041 (after n° 5664891)								
3/8"	7	-	30,7	68,8	C=14,8	2503ZK183-11	2503CASRA17	-
038 (na nr. / après n° 8421500)								
3/8"	7	-	41,6	71,1	C=15,9	-	-	2503ZK192-A7
041 (AV)- 041 AVE (sprocket without holes for grease pump) (before n° 5664891)								
3/8"	7	-	28,5	72,8	C=14,8	2503ZK045-11	2503CASRA17	2503ZK045-A7
044-046								
3/8"	7	N	28,7	76,1	C=15,9	-	2503CASRA17	2503ZK086-A7
3/8"	8	-	28,7	76,1	C=15,9	-	2503CASRA18	-
050-051-075-076								
.404	7	-	35,3	85,6	C=17,0	2503ZK184-13	2503CASRB17	-
064-066								
3/8"	7	-	33,0	81,7	C=15,9	2503ZK082-11	2503CASRA17	2503ZK082-A7
.404	7	-	40,7	78,1	C=18,0	2503ZK082-13	2503CASRB17	-
070-06(S)- CONTRA								
.404	7	-	40,7	78,1	C=18,0	2503ZK185-13	2503CASRB17	2503ZK185-B7
084								
.404	7	-	34,0	86,7	C=17,0	2503ZK083-B7	2503CASRB17	2503ZK083-B7
TANAKA								
351-356-370-ECS415								
3/8"LP	6	N	23,7	65,5	C=13,0	-	-	2503ZK400-M6
ECV 5501								
.325	7	N	26,5	69,0	C=15,7 D=13,0	25031708311	2503CASRK27	2503ZKN110-L7
.325	8	N	26,5	69,0	C=15,7 D=13,0	2503ZKN110-25	2503CASRK28	-